



Shop : 📞 90222 29911 • 80800 45000 • 99871 22299 • Ajit Chopra 📞 98190 22255

Project Office : 📞 93226 63666 • 86550 20121 • Accounts Division : 📞 85911 67611

**PRICE-LIST** • Dated : 20th NOVEMBER 2024 • W.E.F. : 25th NOVEMBER 2024 • LP NO. 11/2024-25

**FR / PVC INSULATED INDUSTRIAL FLEXIBLE CABLE**

**POLYCAB** FR PVC Insulated Single Core Unsheathed Industrial Flexible Cable conforming to IS 694:2010 with Bright Annealed Copper Conductor for Voltage Grade 1100 Volts  
**(RATE PER METER)**

**POLYCAB** PVC Insulated and PVC Round Sheathed Multi Core Bright Annealed Bare Copper Conductor Heavy Duty Industrial Flexible Cables for Voltage Grade 1100 Volts conforming to IS: 694:2010  
**(RATE PER METER)**

COND. AREA SQ.MM	COND. CONST. (NO./ DIA.MM.)	AMPS.	SINGLE CORE	PKG.	2 CORE	3 CORE	4 CORE	2 CORE to 4 CORE PKG.	5 CORE	6 CORE
0.50	16/0.20	05	13.30	24	34.65	47.50	60.75	5	76.30	91.40
0.75	24/0.20	08	18.65	24	46.30	64.35	82.70	5	108.25	129.75
1.00	32/0.20	13	23.75	20	58.90	81.85	105.80	5	140.00	167.00
1.50	30/0.25	17	34.30	16	80.10	113.80	149.00	5	190.00	231.00
2.50	50/0.25	24	56.35	12	130.00	182.00	241.00	4	312.00	372.00
4.00	56/0.30	30	86.60	8	194.00	280.00	368.00	1	491.00	589.00
6.00	84/0.3	38	129.25	6	286.00	412.00	542.00	1	723.00	868.00
10.00	80/0.4	52	227.00	1	488.00	711.00	940.00	1	1247.00	-----
16.00	126/0.4	70	354.00	1	764.00	1117.00	1475.00	-	1913.00	-----
25.00	196/0.4	88	557.00	1	1273.00	1853.00	2421.00	-	3478.00	-----
35.00	276/0.4	110	779.00	1	1773.00	2575.00	3384.00	-	4765.00	-----
50.00	396/0.4	145	1112.00	1	2517.00	3668.00	4844.00	-	6896.00	-----
70.00	354/0.5	215	1571.00	1	3576.00	5088.00	6726.00	-	9429.00	-----
95.00	484/0.5	260	2073.00	1	(FRLS) +	7354.00	9702.00	-	-----	-----
120.00	608/0.5	305	2672.00	-	(FRLS) +	9338.00	12325.00	-	-----	-----
150.00	750/0.5	355	3344.00	-	(FRLS) +	11673.00	15408.00	-	-----	-----
185.00	925/0.5	415	4161.00	-	(FRLS) +	14375.00	19001.00	-	-----	-----
240.00	1210/0.5	500	5431.00	-	(FRLS) +	18557.00	24564.00	-	-----	-----
300.00	1527/0.5	585	6795.00	-	(FRLS) +	23156.00	30664.00	-	-----	-----
400.00	2036/0.5	695	9054.00	-	(FRLS) +	30854.00	40617.00	-	-----	-----

**POLYCAB** PVC Insulated, PVC Round Sheathed Multi Core Industrial Flexible Cables conforming to IS 694:2010 with Bright Annealed Copper Conductor for Voltage Grade 1100 Volts  
**(RATE PER METER)**

COND. AREA SQ.MM	COND. CONST. (NO./ DIA.MM.)	AMPS.	7 CORE	8 CORE	10 CORE	12 CORE	14 CORE	16 CORE	19 CORE	24 CORE
0.50	16/0.20	05	102.50	123.00	152.00	177.00	204.00	232.00	270.00	340.00
0.75	24/0.20	08	147.00	173.00	214.00	252.00	293.00	333.00	391.00	488.00
1.00	32/0.20	13	187.00	221.00	273.00	323.00	378.00	430.00	504.00	634.00
1.50	30/0.25	17	263.00	302.00	383.00	452.00	535.00	618.00	715.00	914.00
2.50	50/0.25	24	426.00	509.00	628.00	756.00	872.00	997.00	1157.00	1496.00
4.00	56/0.30	30	706.00	-----	-----	-----	-----	-----	-----	-----



Shop : 📞 90222 29911 • 80800 45000 • 99871 22299 • Ajit Chopra 📞 98190 22255

Project Office : 📞 93226 63666 • 86550 20121 • Accounts Division : 📞 85911 67611

**PRICE-LIST** • Dated : 20th NOVEMBER 2024 • W.E.F. : 25th NOVEMBER 2024 • LP NO. 11/2024-25

**FRLS INSULATED SINGLE CORE UNSHEATHED INDUSTRIAL FLEXIBLE CABLE**

**FRLS MULTICORE INDUSTRIAL FLEXIBLE CABLE**

**POLYCAB FRLS** Insulated Single Core Unsheathed Industrial Flexible Cable conforming to IS 694:2010 with Bright Annealed Copper Conductor for Voltage Grade 1100 Volts. (0.5 to 70 SQ. MM. 100 Mtr. Pkg). **(RATE PER METER)**

**POLYCAB FRLS** Insulated Unsheathed Industrial Flexible Cable conforming to IS 694:2010 with bright Annealed Copper Conductor for Voltage Grade 1100 Volts. **(100 Meters Packing)** **(RATE PER METER)**

COND. AREA SQ.MM	COND. CONST. (NO./ DIA.MM.)	AMPS.	SINGLE CORE	PKG. SINGLE CORE	2 CORE	3 CORE	4 CORE	PKG. 2-4 CORE
0.50	16/0.20	05	13.65	24	36.85	49.65	62.95	5
0.75	24/0.20	08	19.15	24	49.10	66.95	85.35	5
1.00	32/0.20	13	24.10	20	61.55	84.80	108.75	5
1.50	30/0.25	17	34.55	16	83.40	117.25	151.50	5
2.50	50/0.25	24	57.25	12	135.00	186.00	246.00	4
4.00	56/0.30	30	87.20	8	200.00	286.00	374.00	-
6.00	84/0.3	38	131.00	6	293.00	419.00	548.00	-
10.00	80/0.4	52	232.00	1	497.00	722.00	954.00	-
16.00	126/0.4	70	360.00	1	784.00	1143.00	1503.00	-
25.00	196/0.4	88	564.00	1	1300.00	1890.00	2471.00	-
35.00	276/0.4	110	788.00	1	1810.00	2626.00	3456.00	-
50.00	396/0.4	145	1122.00	1	2569.00	3741.00	4938.00	-
70.00	354/0.5	215	1588.00	1	3647.00	5188.00	6861.00	-

**SINGLE CORE INDUSTRIAL CABLE (MULTISTRAND) 200 / 300 METER**

**POLYCAB FR/FRLS** Insulated Single Core Unsheathed Industrial (Multistrand) Cables - Flame Retardant Lead Free (FRLF) / Heat Resistant Flame Retardant Low Smoke Halogen - Lead Free Conforming To Is-694:1990 With Bright Annealed Electrolytic Bare Copper Conductor For Voltage **(RATE PER COIL)**

**PRICE-LIST**

Dated : 20th NOVEMBER 2024 • W.E.F. : 25th NOVEMBER 2024 • LP NO. 11/2024-25

SQ. MM.	AMP.	FR-LF		FRLS-H		GREEN WIRES		COIL PER BOX
		300 Mtr.	200 Mtr.	300 Mtr.	200 Mtr.	300 Mtr.	200 Mtr.	
1.00	12	7210	-----	7420	-----	7545	-----	8
1.50	16	10610	-----	10925	-----	11075	-----	6
2.50	22	17210	-----	17735	-----	17995	-----	4
4.00	29	-----	17695	-----	18235	-----	18490	4
6.00	37	-----	26460	-----	27260	-----	27670	3
10.00	45	-----	46370	-----	47725	-----	48430	1
16.00	68	-----	73515	-----	75675	-----	76785	1

DISTRIBUTORS :

**POLYCAB**  
IDEAS. CONNECTED.  
WIRES & CABLES



**Ajit Power Solutions Private Limited**

29, Ismail Building, Pathakwadi, Lohar Chawl, MUMBAI-400 002.  
Tel : +91 22 2206 6001 / 2 / 3 • 2205 1994 • Hotline : \*7284 | \*7458  
E-mail: info@ajitpspl.com • www.ajitpspl.com

**11**

Shop : 📞 90222 29911 • 80800 45000 • 99871 22299 • Ajit Chopra 📞 98190 22255

Project Office : 📞 93226 63666 • 86550 20121 • Accounts Division : 📞 85911 67611

**PRICE-LIST** • Dated : 20th NOVEMBER 2024 • W.E.F. : 25th NOVEMBER 2024 • LP NO. 11/2024-25

**POLYCAB INDUSTRIAL COPPER BRAIDED (SCREENED) CABLES**

**POLYCAB** Annealed Bare Cu Flexible Conductor PVC Insulated, Tinned Cu Braided (Screened) PVC Sheathed Flexible Unarmoured Cables 1100 Volts. **(RATE PER METER)**

CORES	SQ. MM.										
	0.5	0.75	1.0	1.5	2.5	4	6	10	16	25	35
2	106.25	130.75	147.25	178.50	270.00	370.00	520.00	-----	-----	-----	-----
3	122.75	159.00	199.00	247.00	361.00	568.00	795.00	1203.00	1821.00	3429.00	4502.00
4	153.00	199.00	243.00	302.00	455.00	694.00	967.00	1619.00	2613.00	4134.00	5724.00
6	206.00	270.00	317.00	430.00	686.00	-----	-----	-----	-----	-----	-----
7	221.00	311.00	361.00	476.00	776.00	-----	-----	-----	-----	-----	-----
8	257.00	370.00	410.00	549.00	810.00	-----	-----	-----	-----	-----	-----
10	327.00	408.00	546.00	688.00	906.00	-----	-----	-----	-----	-----	-----
12	370.00	461.00	585.00	776.00	1059.00	-----	-----	-----	-----	-----	-----
14	408.00	546.00	686.00	929.00	1273.00	-----	-----	-----	-----	-----	-----
16	437.00	636.00	771.00	1026.00	1499.00	-----	-----	-----	-----	-----	-----
19	520.00	753.00	910.00	1273.00	1935.00	-----	-----	-----	-----	-----	-----
24	628.00	841.00	1142.00	1560.00	2426.00	-----	-----	-----	-----	-----	-----

**BUILDING MANAGEMENT SYSTEM CABLE (BMS)**

**POLYCAB** Flexible Bare Copper Conductor, PVC Insulated, Cross Laid Up, Overall Aluminium Mylar Tape Shielded along with ATC Drain Wire PVC Outer Sheath BMS Cables. **(MINIMUM ORDER OF 100 MTR.) (RATE PER MTR.)**

CORES	0.5 SQ.MM.	0.75 SQ.MM.	1.0 SQ.MM.	1.5 SQ.MM.	2.5 SQ.MM.
2	58.00	74.25	89.05	116.05	181.50
3	71.90	97.75	118.00	157.00	251.00
4	89.00	118.00	151.25	212.00	317.00
5	110.00	147.00	179.00	245.00	401.00
6	127.00	167.00	209.00	295.00	480.00
7	138.00	196.00	243.00	332.00	568.00
8	157.00	212.00	270.00	371.00	634.00
10	186.00	262.00	332.00	459.00	775.00
12	220.00	307.00	392.00	544.00	951.00

**SOLID ALUMINIUM CONDUCTOR FLAT SERVICE CABLES**

**POLYCAB** PVC Insulated and Sheathed Twin Core Flat & Three Core Round Cables 1100 Volts each Core having Single Solid Aluminium Conductor Service Cables As Per Is 694

CORES	SQ. MM.	RATE PER METER
2	2.5	76.05
2	4	101.50
2	6	134.75
2	10	196.00

**SOLAR DC CABLE**

ATC Conductor LSOH Outersheath(Type-1) (Black Colour With Red Strip/Black Colour) in Coil of 500 Mtrs.

SIZE IN SQ. MM.	RATE PER METER
4	99.45
6	147.25

**INDUSTRIAL WELDING CABLES**

**POLYCAB** Annealed Bare Copper Conductor Flexible Welding Cable Generally Confirming to IS 9857

CONDUCTOR AREA SQ. MM.	CURRENT CARRYING CAPACITY	RATE PER METER	CONDUCTOR AREA SQ. MM.	CURRENT CARRYING CAPACITY	RATE PER METER
16.00	120	437.00	70.00	600	1895.00
25.00	160	683.00	95.00	700	2497.00
35.00	230	944.00	120.00	1100	3195.00
50.00	400	1341.00	-----	-----	-----



Shop : 📞 90222 29911 • 80800 45000 • 99871 22299 • Ajit Chopra 📞 98190 22255

Project Office : 📞 93226 63666 • 86550 20121 • Accounts Division : 📞 85911 67611

**PRICE-LIST** • Dated : 19th NOVEMBER 2024 • W.E.F. : 25th NOVEMBER 2024 • LP NO. 12/2024-25

**SINGLE CORE INDUSTRIAL CABLE (MULTISTRAND) 90 METER**

**POLYCAB OPTIMA+ FR-LF (FLAME RETARDANT LEAD FREE)**  
**PREMIUM POWER SAVING AND LONG LASTING WIRES, Confirming to IS 694:2010**

SQ. MM.	AMP.	FR-LF 90 Mtr. BOX PKG.	COIL PER BOX
1.00	12	1890.00	24
1.50	16	2770.00	16
2.50	22	4375.00	12
4.00	29	6400.00	8
6.00	37	9565.00	6



• Premium Power Saving Wires, Class-2 Construction • 99.97% Hi-Purity Electrolytic Grade Copper • RoHS & REACH Compliant

**POLYCAB MAXIMA+ EXTRA SAFE, LOW SMOKE WIRES (GREEN WIRE-HR-FR-LSH-LF)**  
**HR FR LSH LF - Heat Resistance Flame Retardant Low Smoke Halogen Lead Free Confirming to IS 694:2010**



SQ. MM.	AMP.	HR-FR-LSH-LF 90 Mtr. BOX PKG.	COIL PER BOX
1.00	12	2005.00	24
1.50	16	2930.00	16
2.50	22	4600.00	12
4.00	29	6720.00	8
6.00	37	10085.00	6

**Product Features :** • Flame Retardant • Smooth Surface with enhances Lubrication Properties  
• High Insulation resistance • High Abrasion Resistance • RoHS Compliant

**POLYCAB ETIRA FLAME RETARDENT WIRES SUPERIOR QUALITY POCKET FRIENDLY PRICE**  
**ETIRA PVC Insulated SINGLE CORE Unsheathed INDUSTRIAL (MULTISTRAND) CABLES FLAME RETARDANT (FR)**  
**Conforming to IS-694:2010 with bright annealed Electrolytic bare Copper Conductor of Voltage Grade 1100 Volts.**

SQ. MM.	AMP.	FR 90 Mtr. BOX PKG.	COIL PER BOX
1.00	12	1695.00	24
1.50	16	2495.00	16
2.50	22	3975.00	12
4.00	29	5950.00	8
6.00	37	9130.00	6



**TERMS & CONDITIONS :**

- (1) The above rates are exclusive of all taxes.
- (2) Subject to change without prior notice.
- (3) This cancels all our previous price-lists.

**OUR BANK DETAILS**

**Name : AJIT POWER SOLUTIONS PRIVATE LIMITED**  
**Bank Name : STANDARD CHARTERED BANK,**  
**Branch : Powai, Mumbai - 400076.**  
**Current A/c No. : 23505074367 • IFSC Code : SCBL0036060**



Shop : 📞 90222 29911 • 80800 45000 • 99871 22299 • Ajit Chopra 📞 98190 22255

Project Office : 📞 93226 63666 • 86550 20121 • Accounts Division : 📞 85911 67611

**PRICE-LIST • Dated : 21st NOVEMBER 2024 • W.E.F. : 25th NOVEMBER 2024 • LP NO. 12/2024-25**

**POLYCAB LAN (NETWORKING) CABLES**

Conductor is made of electrolytic plain annealed solid copper of size 23AWG, high quality polyethylene insulated with suitable colour code, twisted pair. Unshielded light grey PVC jacketed with improved fire characteristic meeting requirements of TIA/EIA/568-C.2

TYPE	UNARMOURED		ARMOURED Rate Per Mtr
	SPEED & COLOUR	Rate Per 305 MTRS	
CAT-5	SPEED 1 GBPS for 250 MHZ GREY COLOUR	11995.00	----
CAT-6 UTP	SPEED 1 GBPS for 250 MHZ • GREY BLUE / YELLOW COLOUR	12605.00	111.15
CAT-6A UTP	SPEED 10 GBPS for 500 MHZ YELLOW COLOUR	15355.00	----
CAT-6 FTP	SPEED 1 GBPS for 250 MHZ GREY COLOUR	19925.00	----




Supports Gigabit Ethernet Standard

Higher bandwidth and lower signal loss

Effective transmission of high speed data

Efficient video and voice streaming



**POLYCAB INDUSTRIAL JELLY FLOODED CO-AXIAL CABLES**

Polycab Gas Injected Physical Polyethylene Foam Insulation with Laminated Aluminium Tape and Aluminium Wire Braid, Jelly Flooded PVC Black Jacketed Industrial Coaxial Cables

Minimum loss in signal strength for better reception

Higher bandwidth: larger network coverage

Low attenuation value: less electromagnetic interference

Moisture Proof

TYPE	UNARMOURED		ARMOURED
	RATE PER 100 MTR	RATE PER 305 MTR.	RATE PER MTR
RG - 59	2300.00	7030.00	-----
RG - 6	2890.00	8860.00	95.40
RG - 11	6590.00	20185.00	148.83
RG - 06 CCS	1870.00	5700.00	-----
RG - 11 CCS	3775.00	11505.00	-----

**POLYCAB 3C FLAT SUBMERSIBLE CABLES**

Polycab PVC / XLPE Insulated and PVC Sheathed Industrial 3 Core Flat Submersible Cable with Bare Bunched Copper Conductor for Submersible Pump Motors with Voltage Grade 1100 Volts as per IS:694/2010

CONDUCTOR AREA SQ. MM.	RATE PER METER	CONDUCTOR AREA SQ. MM.	RATE PER METER
1.50	95.30	10.00	563.55
2.50	147.85	16.00	875.20
4.00	221.15	25.00	1368.25
6.00	324.30	35.00	1895.95



Tough & Flexible Cables

Highest Quality electrolytic grade copper

High abrasion resistance

Excellent moisture resistance

POLYCAB

POLYCAB

**POLYCAB CCTV CABLES**

Coaxial cables consisting of solid annealed bare copper conductor of electrolytic grade which is insulated with physical foam PE dielectric, aluminium foil taped, jelly flooded, braided with alloy and then jacketed with UV resistant PVC

Minimal Signal distortion or attenuation

Designed for complete video frequency range

ideal for both indoor & outdoor applications

No reflection & best picture Quality

Alloy braiding for superior performance

SIZE	UNARMOURED 90 MTRS.	UNARMOURED 180 MTRS.	UNARMOURED 300 MTRS.
3 + 1	3785.00	7570.00	12616.00
4 + 1	4115.00	8230.00	13716.00
SIZE	ARMOURED RATE PER MTRS		
4 + 1	129.77		



Shop : 📞 90222 29911 • 80800 45000 • 99871 22299 • Ajit Chopra 📞 98190 22255

Project Office : 📞 93226 63666 • 86550 20121 • Accounts Division : 📞 85911 67611

**PRICE-LIST • Dated : 21st NOVEMBER 2024 • W.E.F. : 25th NOVEMBER 2024 • LP NO. 12/2024-25**

**POLYCAB INDUSTRIAL TELEPHONE (SWITCHBOARD) CABLES**

Polycab High Conductivity Solid Annealed Bare Copper Industrial Telephone (Switchboard) Cables with High Density Polyethylene Insulation, Paired, Polyster and Sheathed with High Oxygen Index, Fire Retardant, PVC Compound, Grey Outler Sheath generally confirming ITD Specification.


NO. OF PAIRS	RATE PER METER		90 METERS		PKG.
	0.4 MM	0.5 MM	0.4 MM	0.5 MM	
2 PAIR	13.40	19.00	1210.00	1710.00	20
3 PAIR	--	28.15	--	2530.00	16
4 PAIR	--	37.15	--	3345.00	12
5 PAIR	--	46.05	--	4150.00	8
10 PAIR	--	89.55	--	8065.00	1
20 PAIR	--	173.35	--	15565.00	1
50 PAIR	--	449.50	--	-----	1
100 PAIR	--	879.75	--	-----	1



Special grade high density polyethylene  
 Flame retardant compound  
 Virgin grade PVC resin

**POLYCAB INDUSTRIAL SPEAKER WIRES**

**SPEAKER WIRE (Oxygen Free Copper Conductor)**



Special grade high density polyethylene  
 Flame retardant compound  
 Virgin grade PVC resin

SIZE	RATE PER 90 MTRS.	SIZE	RATE PER 90 MTRS.
23/36	1910.00	70/36	3970.00
40/36	2925.00	-----	-----
SIZE		RATE PER 90 MTRS.	
1.00 Sq. mm.		3475.00	
1.5 Sq. mm.		5170.00	
2.5 Sq. mm.		8580.00	

**PRICE-LIST • Dated : 19th NOVEMBER 2024 • W.E.F. : 25th NOVEMBER 2024 • LP NO. 11/2024-25**

**POLYCAB LF FR (180 METERS)**

POLYCAB PVC INSULATED SINGLE CORE UNSHEATHED INDUSTRIAL (MULTISTRAND) CABLES - LEAD FREE FLAME RETARDANT (LF FR) CONFIRMING TO IS-694:2010 WITH BRIGHT ANNEALED ELECTROLYTIC BARE COPPER CONDUCTOR OF VOLTAGE GRADE 1100 VOLTS

SQ. MM.	AMP.	FR-LF / POUCH PKG. 180 Mtr.	COIL PER BOX
1.00	12	3780.00	12
1.50	16	5540.00	10
2.50	22	8750.00	6
4.00	29	12800.00	4



FLAME RETARDANT  
 LEAD FREE PVC INSULATION  
 REACH COMPLIANT  
 RoHS COMPLIANT  
**99.97% HIGH PURITY COPPER**